

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER  
Antonia C. Novello, M.D., M.P.H., Dr.P.H. Commissioner



Expires 12:01 AM June 30, 2001  
Issued April 20, 2001

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 802 Public Health Law of New York State

MR. JOSE ARRIAGA  
EMSL ANALYTICAL INC OF NYC  
307 WEST 38TH STREET  
NEW YORK NY 10018 USA

NY Lab Id No: 11506  
EPA Lab Code: NY01204

is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:

Miscellaneous

Lead in Dust Wipes APP. 14.2, HUD JUNE 1995  
Lead in Paint SW648 3050B

Post-It <sup>®</sup> Fax Note	7671	Date	# of pages
To	Ed Cahill	From	ELAP
Co./Dept.	11506	Co.	
Phone #	EMSL-NYC	Phone #	
Fax #	(212)290-0058	Fax #	

Serial No.: 11573

Property of the New York State Department of Health. Valid only at the address shown.  
Must be conspicuously posted. Valid certificates have a raised seal and may be  
verified by calling (518)485-5570.

DOH-3317 (3/97)

